



**Head Office**

- 📍 Minh Quan Commune, Tran Yen District, Yen Bai Province, Vietnam
- ☎ (0216)3.825.772 📠 (0216)3.825.183
- ✉ Email: info@83mec.com
- 🌐 Website: 83mec.com

**Representative Office**

- 📍 16 Nguyen Khac Nhu Street, Ba Dinh District, Ha Noi City, Vietnam
- ☎ (024)39.270.227

## 3 NOZZLES FIRE HYDRANT

Product code

**BQP.00**



### TECHNICAL INFORMATION

Design specifications	TCVN 6379 -1998
Material	Iron
Color	Red - Grey
Surface hydrant inner body diameter	125mm
Inside diameter of the out valve	Big hydrant: 110mm - Small hydrant: 69mm
Inlet flange parameters	- Number of bolt holes: 08 - Bolt hole diameter: Φ19 - Diameter coordinates of bolt hole: Φ180
Operating pressure	PN10
Size	1500x348x288mm
Weight	110kg
Origin	Viet Nam

### USES

Is specialized equipment for fire fighting installed in the water supply pipeline system to get water for fire fighting promptly and quickly. The product is suitable for outdoor installation on a large campus with internal roads.

### PRODUCT DETAILS

- The product consists of a 3-body structure.
- The product has been registered as an industrial design by the National Office of Intellectual Property.



- ✓ Products are manufactured by 83MEC
- ✓ Products are tested and stamped by Fire Fighting and Prevention Police
- ✓ Products with anti-counterfeiting stamps (QR code)
- ✓ 12 months warranty from the date of delivery



## INDOOR FIRE HYDRANT LANDING VALVE

Product code **DN50.00 and DN65.00**



### TECHNICAL INFORMATION

Design specifications	TCVN 5739-1993
Material	Iron
Color	Red
Outlet inner diameter	43mm, 57mm
Operating pressure	PN10-PN16
Size	145x139x95mm (D50) 193x168x112mm (D65)
Weight	1,8kg and 3kg
Origin	Viet Nam



### USES

Is a specialized fire fighting device connected in series with a fire hydrant to control the speed, and amount of water inlet and outlet during fire fighting, usually installed with a piping system and water supply of buildings.

### PRODUCT DETAILS

- Valve body is made of cast iron, monolithic casting, and does not cause leakage in a high-pressure environment.
- Handwheel and coupling is made of aluminum alloy, which is resistant to rust and abrasion and has high strength. Aluminum joint with EPDM rubber gasket and stainless steel key for increased durability.
- Galvanized steel valve shaft, large bearing capacity.

## FIRE HOSE COUPLINGS

Product code **DR.1-51 and DR.1-66**



### TECHNICAL INFORMATION

Design specifications	TCVN 5739-1993
Material	Aluminium
Color	Gray
Outlet inner diameter	43mm, 57mm
Operating pressure	PN10
Kích thước có 2 loại:	106x50x84mm (DR.1-51)
Thiết bị đầu nối D50 và D65	128x56x102mm (DR.1-66)
Weight	0.19 kg and 0.29 kg
Origin	Viet Nam



### USES

A device used to connect a fire hydrant to a fire-fighting device.

### PRODUCT DETAILS

- The connector consists of a connector body fitted with a sealing ring for connection to one end of a hose reel and a terminal housing for connection to a connector of other fire-fighting equipment of the same size and type.
- The cover is fitted with a sealing ring to seal the spray and water intake pipes.

## 2 NOZZLES FIRE HYDRANT

Product code **THN.00**



### TECHNICAL INFORMATION

Design specifications	TCVN 6379 -1998
Material - Color	Iron - Red
Outlet inner diameter	57mm
Bolt hole center diameter	180mm
Bolt hole diameter	18mm
Number of revolutions when opening the valve	12 revolutions
Link flange	D220
Operating pressure	PN10-PN16
Weight	12,5kg
Size	395x225x255mm
Origin	Viet Nam



### USES

Is specialized equipment for fire fighting installed in the water supply pipeline system to get water for fire fighting promptly and quickly. The product is suitable for outdoor installation on a large campus with internal roads.

### PRODUCT DETAILS

- The pole head is made of cast iron with good bearing capacity, the base is DN100 flange, and 2 DN65 outlets are connected to the fire hydrant DN65 through the connector, located in the upper position, is a locking valve system used to open and close the water supply.

## 2 WAY BREACHING INLET VALVE

Product code **HTN.00**



### TECHNICAL INFORMATION

Design specifications	TCVN 6379 -1998
Material - Color	Iron - Red
Outlet inner diameter	57mm
Bolt hole center diameter	180mm
Bolt hole diameter	18mm
Link flange	D220
Operating pressure	PN10-PN16
Weight	12kg
Size	290x285x150mm
Origin	Viet Nam



### USES

Is a specialized device installed in the water supply pipeline system to take water for fire fighting.

### PRODUCT DETAILS

- Throat body is made of cast iron, monolithic casting, does not cause leakage in high pressure environment.

## MULTIPURPOSE METAL TOOLBOX

- The box is made from cold-rolled steel with anti-corrosion treatment, so the box has a long life, no rust and no warping.
- Environmentally friendly electrostatic painting process, odourless paint layer. The painted surface is smooth and shiny and minimizes scratches.
- The product is used to preserve and store tools, make a side-mounted box for motorbikes, motorbikes, and jeeps, decorate corners to collect war memorabilia, or hold paper that is not mouldy.
- Have the ability to retain moisture for the product inside.

### TECHNICAL SPECIFICATIONS

No	Product name	External dimension	Weight
1	M19A1	297,4x96,8,184,2	2.2kg
2	M2A1	305,6x154,8x190,5	3.02kg
3	PA120	476,5x161,5x263,9	5.9kg
4	PA108	329x186x228	2.85kg
5	M548	472,2x210,3x370,6	10.85kg
6	M592	472,2x241,3x370,6	10kg
7	M75	276,5x84,8x188	2kg



Export to Singapore, Italy, USA and The United Arab Emirates



## SMOKELESS BBQ GRILL

- Products bested the identification of TOP 10 GOLDEN PRODUCTS VIETNAM.
- The product is highly appreciated for its safety, convenience and environmental friendliness.
- Can use pressed charcoal, smokeless sawdust charcoal.

### TECHNICAL SPECIFICATIONS

Product name	Mayon	Vesuvio	Hoa Ban
Grill grid diameter	340 mm	340 mm	340mm
Bottom Diameter	360 mm	350 mm	360mm
Height	150 mm	150 mm	150mm
Weight	5,2kg	5kg	5.3kg
Color			



Export to Germany, Australia and some European countries

## HOA BAN GRILL

- It integrates two convenient hot pot and grill functions in one product that can bake and cook hot pot. The product gives you delicious grilled food and great hotpot dishes without changing kitchen tools.

- The grill uses charcoal or smokeless BBQ charcoal and is appreciated for its safety, convenience and environmental friendliness.



## FIREWOOL RACK AND TOOL SET

The product includes: five shovel tools, a brush, a poker & cardboard, two sturdy holders are steel and black powder coated to ensure high durability and sturdy construction for wood-burning needs or wood stacking.

- Designed to be comfortable and safe to use.

-The product is great for summer cooking, autumn fires and winter fireplaces...

Dimensions: 15.8 x 11.8 x 29.1 cm



Export to the US market

## TV WALL MOUNT

- The Smart Motion TV wall mount can be adjusted up, down and sideways to give you the perfect viewing angle in any situation. Sliding bearings easily allow you to change positions with your fingertips. Supports most flat-screen TVs from 37 inches to 80 inches. Extends to total 18 inches from the wall.

- Full motion power lets you watch your TV from anywhere in the room.

- Tilt up to 12 degrees forward or 2 degrees backward to give you the ideal viewing angle while reducing glare.

- Allows the TV to mount only 2-1/4 inches from the wall when closed and extends up to 18 inches.

- Universal design fits most TVs.



Export to the US market

## JACKSTAND

Rated as the top 10 best car rack products today, Jack Stand is one of the essential lifting tools that every car owner must have. Used to quickly lift the car and reach its lower part mainly for tire or rim repair.

### TECHNICAL SPECIFICATIONS

- Its triangular design and sturdy steel frame construction, painted with anti-rust paint, is the ideal choice for lifting a wide variety of vehicles, including small cars, SUVs and heavy-duty vehicles.
- Lifting capacity of 3 tons (double) suitable for all types of cars.
- Easy-to-use ratchet bar, subject to the self-locking mechanism.
- Height range from 11.2" - 16.7" allows easy lifting of low-rise vehicles as well as SUVs.
- Safe and easy to use; Even first-time users won't have any difficulty.



Export to the US market

## ELECTRICITY SECTOR ACCESSORIES

Electrical industry accessories include copper tube lugs, spindle for pin type, wire rope clamp,....Each type has different shapes, structures and uses.

### TECHNICAL SPECIFICATIONS

- Materials: mainly hot-dip galvanized steel with coating thickness over 80 μm
- Workpieces are created from many methods: casting, forging, stamping ... and are precision machined on modern production equipments.



Products are supplied to the domestic market and exported to the European market (Greece)

## DRUM CLOSURES

They are used to close the lid of the drum containing chemicals and lubricants for the purpose of keeping the liquid inside and limiting leakage to the outside during use and transportation.

### TECHNICAL SPECIFICATIONS

- Material: Galvanized steel
- Standard size 2"; 3/4
- Workpieces are created from many production technologies: casting, forging, stamping, ... and are precision machined on modern equipment.



Products are not only supplied to the domestic market but also exported to Japan, India and some European countries

## LIGHT SQUARE PARTS

Detail INOX lamp is a set of technical details to be installed in decorative lights and table lamps ... exported to Europe.

### TECHNICAL SPECIFICATIONS

- Details include: lamp stand, lamp base; light socket,...
- Materials: 201 steel, 304 steel
- The product is polished to create a spiral pattern on the surface of the product.



Products are exported to Korea, Sweden and some European countries

## ELECTRICAL PLIERS

Electrical pliers are very diverse in design and design according to each type of pliers and each manufacturer's request.

### TECHNICAL SPECIFICATIONS

- Material: Steel 45.
- Size: 6-8"
- Style: Electrical pliers, rolling pliers, cutting pliers...



## FACTORY MACHINERY SYSTEM

